

## **Product Verification**

# Sustainability

Self declared according to DGNB Neubau 2018

Product Systems

### **EGOSILICON 351**

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGOSILICONE 351 is a ready-to-use, high-quality single-component silicone sealant that is free from plasticisers and vulcanises through reaction with air humidity to form an elastic end product. The product is suitable for natural stone in both indoor and outdoor areas. The product is:

- creep-free
- compatible with natural stone
- colored fungicidal adjusted
- shiny abrasion resistant
- water-proof
- optimum skin-forming time

Sealing connection and movement joints in the sanitary sector, as well as for natural and artificial stone.

EGOSILICONE 351 fulfills the requirements according to EMICODE EC 1.

https://www.ego.de/produkt/egosilicon351







# Environmental Quality (ENV) Criteria Product Verification ENV 1.1 LBuilding life cycle assessment (Updated on: 16.07.2018) EPD available: Yes ENV 1.2 Local environmental impact (Updated on: 05.01.2022) Quality level 4 of 4 Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

### Summary

### The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in DGNB 2018 Criteria ENV 1.2 Local environmental impact for the entire product: Quality level 4 of 4



### Ecolabels & Product-Assessments

AgBB tested EMICODE EPD EPD Institut Bauen und Umwelt e.V.







French VOC-Label A+

ISO 14001 - Environmental Management System ISO 9001 - Quality Management System

SCAQMD 1168





Yes





### Product Properties

### Ingredients:

Percentage of the product's composition, that is known to 100 wt% the chemical ingredient level

Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, Yes MCCP, LCCP):

Free (< 0,1 %) of biocidal:

Free (< 0,1 %) of polybrominated diphenyl ethers (= Yes PBDE):

Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:

Recycled content post-consumer: N/A

Recycled content pre-consumer: N/A

VOC content according 2004/42/EG: o g/l

VOC content according 2004/42/EG: N/A

Free (< 0,1 %) of polybrominated biphenyls (= PBB): Yes

Free (< 0,1 %) of hexabromocyclododecane (= HBCD): Yes

Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP): Yes

Free (< 0,1 %) of lead:

Free (< 0,1 %) of cadmium:

Free (< 0,1 %) of chromium-VI compounds:

Free of solvent according to VdL-RLo1: Yes

Free (< 0,1 %) of aromatic compounds:

Free (< 0,1 %) from halogenated propellants: Yes

Free (< 0,1 %) of halogenated flame retardants:



Content of VOC: 0 %

Content of solvents: 0 %

Free (< 0,1 %) of halogens:

To what level of detail is the product composition known? 100 ppm

Rapidly renewable content N/A

Non renewable virgin raw material content N/A

Free (< 0,1 %) of tin:

Free of plasticizer according to VdL-RLo1: Yes

### Manufacturer:

Environmental Management System according ISO 14001: Yes

Are reverse logistics in place for the product?

Final manufacturing location of the product: longitude 11.177829263566535 ° DDD

Final manufacturing location of the product: latitude 47.49054076514584 ° DDD

### **Emissions:**

Formaldehyde emissions after 28 days according DIN EN 0.002 mg/m³

717-1:

R-Value according to AgBB: 0,02

TVOC after 3 days according ISO 16000-3 / AgBB: 0,89 mg/m³

TVOC after 28 days according ISO 16000-3 / AgBB: 0,049 mg/m<sup>3</sup>

Carcinogens 1A and 1B after 3 days according ISO-16000 o,001 mg/m³

/ AgBB:

Carcinogens 1A and 1B after 28 days according ISO-16000 0.001 mg/m<sup>3</sup>

/ AgBB:

SVOC after 3 days according ISO 16000-3 / AgBB: N/A

SVOC after 28 days according ISO 16000-3 / AgBB: N/A

### Life Cycle Assessment:

Functional use period N/A


### Circularity:



### System description

The DGNB certification system was founded by the "German Sustainable Building Council" and first appeared on the market in 2008. The DGNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Different profiles allow the certification of new buildings and existing buildings, as well as of quarters in Germany and Internationally. Buildings can achieve a certification in Bronze, Silver, Gold and Platinum. Up to now, more than 3,500 projects have been awarded by the DGNB (as of June 2018).

Source: www.dgnb.de





# **Detailed Verification**

Self declared according to DGNB Neubau 2018

	10 10	
Environmenta	I ( )IIalit	$V \cap V \cap$
LIIVII OI II II CIII a	ı Quanı	V ( L I V V )

### ENV 1.1 LBuilding life cycle assessment (Updated on: 16.07.2018)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

EGOSILICON 351	EPD available: Yes
An environmental product declaration exists for the product:	
EGOSILICON 351	Yes
EPD Owner of the Declaration:	
EGOSILICON 351	DBC, EFCC, FEICA, IVK
EPD Publisher:	
EGOSILICON 351	Institut Bauen und Umwelt e.V. (IBU)
EPD Programme holder:	
EGOSILICON 351	Institut Bauen und Umwelt e.V. (IBU)
EPD Declaration number:	
EGOSILICON 351	EPD-DBC-20220180-IBF1-EN
EPD Issue date:	
EGOSILICON 351	31.08.2022
EPD valid to:	

### ENV 1.2 Local environmental impact (Updated on: 05.01.2022)

Achieved quality level in DGNB 2018 Criteria ENV 1.2 Local environmental impact for the entire product:

EGOSILICON 351 Quality level 4 of 4

Achieved quality level in DGNB 2018 Criterion ENV 1.2 Local environmental impact:

EGOSILICON 351 Quality level 4

30.08.2027

EGOSILICON 351



EGOSILICON 351

Row 12: Adhesions of mechanically stressed joints over small areas; the areas glass construction, façade and fire protection are not considered here. Sealing compounds, sealing substances, adhesives for dot like and linear adhesions of components in the interior area. Acrylate sealing substances/adhesives and silicone sealing substances are what is meant here.

Quality level 4

Achieved quality level in DGNB 2018 ENV 1.2 Row 12 for the entire product:

EGOSILICON 351	Quality level 4
	,
Adhesives and sealants (acrylate, silicone, SMP) - interior and t 12):	technical building equipments (DGNB ENV1.2 Row
EGOSILICON 351	Yes
Free of chlorinated paraffins (CP):	
EGOSILICON 351	Yes
Content of solvent < 1 %:	
EGOSILICON 351	Yes
Content of solvents:	
EGOSILICON 351	0 %
	Yes
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window	· · · · · · · · · · · · · · · · · · ·
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside	ws and exterior doors (provided by the customer)
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the er EGOSILICON 351	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP ntire product:
Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar. Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the er	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP ntire product:
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the er EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13:	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP  ntire product:  Quality level 4  Quality level 4
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the er EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13:  EGOSILICON 351  Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or th	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP intire product:  Quality level 4  Quality level 4
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the err EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13:  EGOSILICON 351  Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or th (DGNB ENV1.2 Row 13):  EGOSILICON 351	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP  ntire product:  Quality level 4  Quality level 4  e like) - on the façade, windows and external doors
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the er EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13:  EGOSILICON 351  Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or th (DGNB ENV1.2 Row 13):	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP on tire product:  Quality level 4  Quality level 4  e like) - on the façade, windows and external doors
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the enteron EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13: EGOSILICON 351  Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the CDGNB ENV1.2 Row 13): EGOSILICON 351  Content of VOC < 1 %:	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP  ntire product:  Quality level 4  Quality level 4  e like) - on the façade, windows and external door  Yes
EGOSILICON 351  Row 13: Assembly adhesives and sealants on the facade, window Adhesive for the production of airtightness on the facade inside similar.  Achieved quality level in DGNB 2018 ENV 1.2 Row 13 for the err EGOSILICON 351  Achieved quality level in DGNB 2018 ENV 1.2 Row 13: EGOSILICON 351  Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or th (DGNB ENV1.2 Row 13): EGOSILICON 351  Content of VOC < 1 %:	ws and exterior doors (provided by the customer) and outside: e.g. PU, PU hybrid, MS polymer, SMP  ntire product:  Quality level 4  Quality level 4  e like) - on the façade, windows and external doors

0 %

EGOSILICON 351



Content of halogenated propellants < 0,1 %:

EGOSILICON 351	Yes

Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:

EGOSILICON 351	Yes
----------------	-----

Certified EMICODE standard:

EGOSILICON 351	EMICODE EC1
----------------	-------------

Certified with Indoor Air Comfort Gold:

EGOSILICON 351	No
----------------	----



### Contact Details Manufacturer

### EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27 82467 Garmisch-Partenkirchen DE



### Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system DGNB 2018 (New construction building). The DGNB (Deutsche Gesellschaft für Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the DGNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a DGNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of DGNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the DGNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.