


Hygiene-Institut des Ruhrgebiets

Institut für Umwelthygiene und Toxikologie

Director: Dr. Thomas-Benjamin Seiler

Legal Entity: Verein des Hygiene-Instituts des Ruhrgebiets e.V.



Hygiene-Institut · PO Box 10 12 55 · DE 45812 Gelsenkirchen · Germany

EGO Dichtstoffe GmbH & Co. BetriebsKG
Frau P. Goldmann
Kaltenbrunn 27
82467 Garmisch-Partenkirchen

Address:
Rotthausen Str. 21, DE 45879 Gelsenkirchen

Switchboard +49 (0)209 9242-0
Direct +49 (0)209 9242-238
Telefax +49 (0)209 9242-222
E-Mail klimatechnik@hyg.de
Internet www.hyg.de

Our reference: W-375761e-23-Ho
Contact person: Dipl.-Ing. (FH) S. Horn
Material-number: 82/2023

Gelsenkirchen, 13.07.2023

TEST CERTIFICATE

Test of the microbial metabolism pursuant to DIN EN ISO 846

Client: EGO Dichtstoffe GmbH & Co. BetriebsKG
Kaltenbrunn 27
82467 Garmisch-Partenkirchen

Test material: EGO SMP 815,
White sealant sheets

Test method: DIN EN ISO 846 (11/2020)

Validity period: 07/2023 – 07/2028

As described in our test reports W-375759-23-Ho and W-375760-23-Ho dated on 11.07.2023, the growth of microorganisms determined on the material "EGO SMP 815", pursuant to DIN EN ISO 846 table 2, corresponds to the growth intensity 0 for method A and a growth intensity 1 for method C.

This means that the material "EGO SMP 815" does not contain any nutrients for the development of fungi and does contain only a slight amount of nutrients for the development of bacteria. Thus, the above material meets the requirements regarding to the microbial metabolism according to VDI 6022, sheet 1 (01/2018) "Hygiene requirements for ventilation and air conditioning systems and devices". Further material requirements according to VDI 6022, sheet 1 must be checked separately.

The Director of the Institute on behalf

(Dipl.-Ing. (FH) S. Horn)
Head of Department, Hygienic Building Technology

The results of our tests and the evaluations apply to the examined objects and the legal regulations applicable at the time of the test. The certificate shall not be reproduced, except in full, without written approval of the Institute. Our general terms and conditions apply (<http://www.hyg.de>).

Legal Entity: Verein des Hygiene-Instituts des Ruhrgebiets e.V., **Register:** VR 519 Local Court Gelsenkirchen (Germany); **VAT ID:** DE125018356

Directorate: Prof. Dr. Jürgen Kretschmann (Head), Joachim Löchte, Dr. Dirk Waider, Dr. Frank Obenaus, Dr. Thomas-Benjamin Seiler (Executive Member).