

Product Verification

Sustainability

Self declared according to BNB BN 2015

Product Systems

EGO SMP 805

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

EGO SMP 805 is a single-component, odourless adhesive & sealant that cures with the humidity in the air to form an elastic end product. It does not contain solvents, is free from silicone and isocyanate and provides high resistance against chemicals. For bonding and sealing in the field of construction and industry, for both indoor and outdoor applications, e.g. in metal, roof, camper van and concrete construction. Sealing for elastic connection joints in buildings and pedestrian paths. Can also be used on plaster, gypsum, ceramics, timber, glass, enamel, zinc, lead, stainless steel, HPL high-pressure laminates, hard PVC, aluminium, galvanised sheet metal, fibre-reinforced cement and various plastic substrates. Well suited for bonding of construction foils, rails/strips and panels. If to be used with porous natural stone or some types of plastics, such as PA, PS, EPDM, please perform your own application-related tests and trials or consult us. EGO SMP 805 fulfills the requirements according to EMICODE EC 1 PLUS.

<https://www.ego.de/produkt/egosmp805>



Product Assessment

Environmental Quality

Criteria

Product Verification

1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)	EPD available: Yes
1.1.6 Local environmental impact (Updated on: 28.09.2017)	Quality level 5 of 5

Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

Summary

The product contributes to the certification:

- The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment: EPD available: Yes
- Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product: Quality level 5 of 5

■ Ecolabels & Product-Assessments

AgBB tested



EMICODE

EMICODE EC1plus



EPD



EPD Institut Bauen und
Umwelt e.V.



French VOC-Label A+



ISO 14001 - Environmental
Management System



ISO 9001 - Quality
Management System



SCAQMD 1168



■ Product Properties

Ingredients:

Percentage of the product's composition, that is known to the chemical ingredient level	100 wt%
SVHC according REACH < 0,1 %:	Yes
Free (< 0,1 %) of chlorinated paraffins (= CP inkl. SCCP, MCCP, LCCP):	Yes
Content of solvents:	0 %
Free (< 0,1 %) of hydrocarbon (KWS) plasticizer:	Yes
Free (< 0,1 %) of polybrominated diphenyl ethers (= PBDE):	Yes
Free (< 0,1 %) of biocidal:	Yes
VOC content according 2004/42/EG:	0 g/l
VOC content according 2004/42/EG:	0 g/m2
Recycled content pre-consumer:	N/A
Recycled content post-consumer:	N/A
To what level of detail is the product composition known?	100 ppm
Rapidly renewable content	N/A
Non renewable virgin raw material content	N/A

Free (< 0,1 %) of polybrominated biphenyls (= PBB):	Yes
Free (< 0,1 %) of hexabromocyclododecane (= HBCD):	Yes
Free (< 0,1 %) of tris (2-carboxyethyl) phosphine (= TCEP):	Yes
Free (< 0,1 %) of lead:	Yes
Free (< 0,1 %) of cadmium:	Yes
Free (< 0,1 %) of chromium-VI compounds:	Yes
Free of solvent according to VdL-RL01:	Yes
Free (< 0,1 %) of aromatic compounds:	Yes
Free (< 0,1 %) from halogenated propellants:	Yes
Free (< 0,1 %) of halogenated flame retardants:	Yes
Content of VOC:	0 %
Free (< 0,1 %) of halogens:	Yes

Manufacturer:

Environmental Management System according ISO 14001:	Yes
Final manufacturing location of the product: latitude	47,4902251743193 ° DDD
Final manufacturing location of the product: longitude	11,177539584701767 ° DDD

Emissions:

Formaldehyde emissions after 28 days according DIN EN 717-1:	0,002 mg/m ³
Carcinogens 1A and 1B after 28 days according ISO-16000 / AgBB:	0,001 mg/m ³
R-Value according to AgBB:	0,00
TVOC after 3 days according ISO 16000-3 / AgBB:	0,005 mg/m ³
TVOC after 28 days according ISO 16000-3 / AgBB:	0,005 mg/m ³
SVOC after 3 days according ISO 16000-3 / AgBB:	0,005 mg/m ³
SVOC after 28 days according ISO 16000-3 / AgBB:	0,005 mg/m ³
Carcinogens 1A and 1B after 3 days according ISO-16000 / AgBB:	0,001 mg/m ³

Life Cycle Assessment:

Functional use period	N/A
-----------------------	-----

Circularity:

Other:

test

N/A


■ System description

In cooperation between the Bundesbauministerium/Bundesinstitut für Bau-, Stadt- und Raumforschung (BBSR) and the German Sustainable Building Council e. V. (DGNB) the System "Bewertungssystem Nachhaltiges Bauen (BNB)" for federal buildings was developed. The BNB system evaluates buildings holistically on the basis of individual criteria within the categories Ecological Quality, Economic Quality, Sociocultural and Functional Quality, Technical Quality, Process Quality and Location Quality. Buildings can achieve a certification in Bronze, Silver and Gold.

Source: www.bnb-nachhaltigesbauen.de

■ System categories

Category Weighting



Category

Category considered in product verification

Environmental quality	Yes
Economic quality	No
Sociocultural quality	No
Technical quality	No
Process quality	No
Site quality	No

Source: BNB 2015

Detailed Verification

Self declared according to BNB BN 2015

Environmental Quality

1.1.1/1.1.2/1.1.3/1.1.4/1.1.5/1.2.1 Life Cycle Assessment (Updated on: 01.03.2017)

The product has an Environmental Product Declaration (EPD) which can be used to calculate the building life cycle assessment:

EGO SMP 805	EPD available: Yes
-------------	--------------------

An environmental product declaration exists for the product:

EGO SMP 805	Yes
-------------	-----

EPD Owner of the Declaration:

EGO SMP 805	DBC, EFCC, FEICA, IVK
-------------	-----------------------

EPD Publisher:

EGO SMP 805	Institut Bauen und Umwelt e.V. (IBU)
-------------	--------------------------------------

EPD Programme holder:

EGO SMP 805	Institut Bauen und Umwelt e.V. (IBU)
-------------	--------------------------------------

EPD Declaration number:

EGO SMP 805	EPD-FEI-20220021-IBG1-EN
-------------	--------------------------

EPD Issue date:

EGO SMP 805	01.06.2022
-------------	------------

EPD valid to:

EGO SMP 805	31.05.2027
-------------	------------

1.1.6 Local environmental impact (Updated on: 28.09.2017)

Achieved quality level in BNB Criteria 1.1.6 Local environmental impact for the entire product:

EGO SMP 805	Quality level 5 of 5
-------------	----------------------

Achieved quality level in BNB Criterion 1.1.6 Local environmental impact:

EGO SMP 805	Quality level 5
-------------	-----------------

Manufacturer statement regarding REACH is available:

EGO SMP 805	Yes
-------------	-----

Row 8: On-site processed sealants, joint sealants, adhesives - Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone

Achieved quality level in BNB 1.1.6 Row 8 for the entire product:

EGO SMP 805	Quality level 5
-------------	-----------------

Achieved quality level in BNB 1.1.6 Row 8:

EGO SMP 805	Quality level 5
-------------	-----------------

Adhesives and sealants - (PU, SMP, acrylate, dispersion, silicone) (BNB BN 2015 1.1.6 Row 8):

EGO SMP 805	Yes
-------------	-----

The product is a PU adhesive:

EGO SMP 805	No
-------------	----

Classification according to GISCODE:

EGO SMP 805	no entry
-------------	----------

Free of polybrominated diphenyl ethers (= PBDE), , Polybromierte Biphenyle (= PBB) and Tris-(2-carboxyethyl)-phosphin (= TCEP):

EGO SMP 805	Yes
-------------	-----

Free of chlorinated paraffins (CP):

EGO SMP 805	Yes
-------------	-----

The product is a amine- or oxime-curing silicone:

EGO SMP 805	No
-------------	----

Certified RAL-UZ (Blue Angel) Standard:

EGO SMP 805	no entry
-------------	----------

Certified with Blue Angel - RAL-UZ 123:

EGO SMP 805	No
-------------	----

Certified EMICODE standard:

EGO SMP 805	EMICODE EC1PLUS
-------------	-----------------

Certified with EMICODE EC1/EC1PLUS, EC1-R/EC1PLUS-R:

EGO SMP 805	Yes
-------------	-----

Declaration of biocidal active substances present (if used):

EGO SMP 805	No
-------------	----

Free of biocidal:

EGO SMP 805	Yes
-------------	-----

Row 9: On-site processed adhesives and sealants - Adhesives and sealants for the creation of airtightness on the facade inside and outside: z. B. PU, PU hybrid, MS polymer, SMP or similar

Achieved quality level in BNB 1.1.6 Row 9 for the entire product:

EGO SMP 805	Quality level 5
-------------	-----------------

Achieved quality level in BNB 1.1.6 Row 9:

EGO SMP 805	Quality level 5
-------------	-----------------

Adhesives and sealants (PU, PU hybrid, MS polymer, SMP or the like) - for making the façade airtight (BNB BN 2015 1.1.6 Row 9):

EGO SMP 805	Yes
-------------	-----

VOC content:

EGO SMP 805	≤ 0 g/l
-------------	---------

■ Contact Details Manufacturer

EGO Dichtstoffwerke GmbH & Co. Betriebs KG

Kaltenbrunn 27
82467 Garmisch-Partenkirchen
DE
<http://www.ego.de/>



■ Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system BNB 2015 (New construction of office buildings). The BNB (Bewertungssystem Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the BNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a BNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of BNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the BNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.