

Product verification

Manufacturer's declaration

EGOSILICON 365 (Oxim)

EGO Dichtstoffwerke GmbH & Co. Betriebs KG



Building certification systems

DGNB New Building 18
and DGNB New
Building 23



QNG Plus Version



BNB - Assessment
system for sustainable
building



LEED v4.1



BREEAM DE New Build
2018 & BREEAM
International 2016



Contents

DGNB New Building 18 and DGNB New Building 23	page
▪ ENV1.2 Risks to the local environment	4
▪ ENV1.3 Responsible resource extraction	4
QNG Plus Version 1.1-1.5	
▪ ANF3-1 Avoidance of pollutants in building materials	5
▪ ANF2-WG1/NW1 Sustainable extraction of materials	5
BNB - Assessment system for sustainable building 2015/2017	
▪ 1.1.6 Risks for the local environment	6
▪ 1.1.7 Sustainable material extraction / wood	7
LEED v4.1	
▪ LEED Credit - Low-Emitting Materials	8
▪ LEED Credit - Environmental Product Declarations	8
BREEAM DE New Build 2018 & BREEAM International 2016	
▪ Hea 02 Quality of indoor air emissions from building products	9
▪ Mat 03 Responsible material procurement - Responsible procurement of building products & basic requirement	9

Overview of products

The declaration evaluates the following products:

Adhesive and sealant

- EGOSILICON 365

The product may consist of the following components:

Adhesives and sealants

- silicone
- Fire protection silicones

DGNB New Build 2018 and DGNB New Build 2023

ENV1.2 Risks for the local environment

The requirements of quality level 1-4 in the DGNB System 2018 and 2023 for criterion *ENV1.2 Risks for the local environment* are met.

Assessment result: Quality level 4

Criteria requirement	Compliance with DGNB New Build 2018 and DGNB New Build 2023
<p>DGNB (only applies to 2018 version) Line 12: Adhesives and sealants Acrylic sealants/adhesives, silicone sealants and SMP (hybrid sealants)</p> <p>Small-surface bonding of mechanically stressed joints; the areas of glass construction, façades and fire protection are not considered here</p>	<p>Requirement quality level 1-4 is fulfilled: Chlorinated kerosenes (SCCPs + MCCPs + LCCPs) < 0.1 % and solvents < 1% and KWS plasticizers < 0.1 %</p>
<p>DGNB line 13: Assembly adhesives and sealants on the façade, windows and exterior doors</p> <p>Assembly adhesives and sealants on the façade, windows and exterior doors</p>	<p>Requirement quality level 1-4 is fulfilled: Chlorinated kerosenes (SCCPs + MCCPs + LCCPs) < 0.1 % and halogenated blowing agents < 0.1 %, and proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been verified by means of an emission test. The emission limit values according to AGBB scheme 2018 version were verified and complied with via a test chamber test.</p>
<p>DGNB (only applies to version 2023) Line 11: Sealants, adhesives for point and linear bonding of components in the interior: - mechanically stressed joints - skirting boards - door rails - Column adhesive (raised or hollow floor) - Ventilation ducts</p> <p>This refers to acrylic sealants/adhesives, silicone sealants, PU adhesives and silane-modified polymers (SMP)</p>	<p>Requirement quality level 1-4 is fulfilled: GISCODE - PU10, PU20, RS10, DA20, DSE20, DSA20, DSO20, DH20 or DSC20 and proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been provided via an emissions test. The emission limit values according to AGBB scheme 2018 version were verified and complied with via a test chamber test.</p>

ENV1.3 Responsible resource extraction

Not relevant for consideration.

QNG Plus Version 1.1-1.5

ANF3-1 Avoidance of harmful substances in building materials

This fulfills the requirements of QNG Plus Version 1.1-1.5 Requirement 3: - *ANF3-1 Avoidance of pollutants in building materials.*

Assessment result: Fulfilled

Criteria requirement	Fulfillment QNG version 1.1-1.5
Requirement 1.1 Overarching requirement for the Quality of the building	Requirements are fulfilled: Manufacturer information according to REACH with contained SVHC > 0.1 % is available.
Requirement 4.1/4.2/4.3: Adhesives and sealants (acrylates and silicones) used on site in indoor areas Adhesives and sealants based on PU, PU hybrid and SMP formulations (silane-modified polymers) processed on site in indoor areas Adhesives and sealants based on PU, PU hybrid, MS polymer or SMP (silane-modified polymers) for creating airtightness on façades, windows and exterior doors (interior and exterior)	Requirements are fulfilled: Declaration of biocidal active substances in silicones Chlorinated kerosenes, PBB, PBDE, TCEP ≤ 0.10 % Solvent-free
13.2 Internal and external fire barriers: Fire protection fillers, fire protection coatings for cables and fire protection silicones Fillers, coatings, bonding and sealing with fire protection requirements Sealings with fire protection requirements (e.g. cable penetration seals, RS doors, glazing, etc.)	Requirements are fulfilled: Chlorinated kerosenes, PBB, PBDE, TCEP ≤ 0.10 %

ANF2-WG1/NW1 Sustainable material extraction

Not relevant for consideration.

BNB - Assessment system for sustainable building 2015/2017

1.1.6 Risks for the local environment

This fulfills the requirements of quality levels 1-5 in the BNB system 2015/2017 criterion *Risks for the local environment*.

Assessment result: Quality level 3

1. overarching requirements	Fulfillment of BNB quality level 1-5
Item 0 SVHC All construction products listed in Annex 1.	Requirement quality level 1-5 is fulfilled: Manufacturer information according to REACH with contained SVHC > 0.1 % is available.
6. adhesives and sealants	Fulfillment of BNB quality level 1-3
Item 8 On-site processed sealants, joint sealants, adhesives Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone	Requirement quality level 1-3 is fulfilled: Proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been verified via an emissions test. The emission limit values according to AGBB scheme 2018 version were verified by a test chamber test and complied with. Chlorinated kerosenes < 0.1 % The following also applies to PU adhesives: TCEP < 0.1 %
Item 9 Adhesives and joint sealants processed on site Adhesives and sealants for creating airtightness on façades inside and outside: e.g. PU, PU hybrid, MS polymer, SMP or similar	Requirement quality level 1-5 is fulfilled: Proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been provided via an emissions test. The emission limit values according to AGBB scheme 2018 version were verified and complied with via a test chamber test.

4. surface coatings on predominantly non-mineral surfaces (wood, metals, plastics)	Fulfillment of BNB quality level 1-5
<p>Item 44 Hazardous individual substances Flame-retardant surface coatings and fillers applied on site</p> <p>Fire protection fillers, fire protection coatings for cables, fire protection silicones</p>	<p>Requirement quality level 1-5 is fulfilled: Chlorinated kerosenes, PBB, PBDE, TCEP < 0.1 % contained</p>

1.1.7 Sustainable material extraction / wood

Not relevant for consideration.

LEED v4 .1

LEED Credit - Low-Emitting Materials

The product contributes to meeting the requirements of LEED v4.1 *Credit Low-Emitting Materials*.

Evaluation result: LEED Credit fulfilled

Criteria requirement	Fulfillment of LEED manufacturer's declaration
<p>Adhesives and sealants At least 75% of all adhesives and sealants (by volume or surface area) meet the VOC emission rating AND 100% meet the VOC content rating.</p> <p>The adhesives and sealants product category includes all adhesives and sealants for interior use to be applied on the construction site using the wet process.</p>	<p>Requirements are fulfilled: Proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been verified via an emissions test. The emission limit values according to AGBB scheme 2018 version were verified and complied with via a test chamber test.</p>

LEED Credit - Environmental Product Declarations

The product contributes to meeting the requirements of LEED v4.1 *Credit Environmental Product Declarations*.

Evaluation result: LEED Credit fulfilled

Criteria requirement	Fulfillment of LEED manufacturer declaration
<p>Option 1. Environmental Product Declaration (EPD)</p>	<p>Requirements are fulfilled: A product-specific EPD is available.</p>

BREEAM DE New Build 2018 & BREEAM International 2016

Hea 02 Quality of indoor air emissions from building products

The requirements of criterion *Hea 02 Quality of indoor air emissions from building products* in the BREEAM system are fulfilled.

Assessment result: BREEAM Mat 03 fulfilled

Criteria requirement	Fulfillment BREEAM Mat 03
Adhesives and sealants for indoor use (including flooring adhesives) Formaldehyde $\leq 0.06 \text{ mg/m}^3$ Total volatile organic compounds (TVOC) $\leq 1.0 \text{ mg/m}^3$ Carcinogenic substances of category 1A and 1B $\leq 0.001 \text{ mg/m}^3$	Requirements are fulfilled: Proof of equivalence to EMICODE EC1Plus with regard to GEV classification criteria (03/2022) sections 3.2. has been verified by means of an emission test. The emission limit values according to AGBB scheme 2018 version were verified and complied with via a test chamber test.

BREEAM DE New Build 2018 & BREEAM International 2016

Mat 03 Responsible material procurement - Responsible procurement of building products & basic requirement

Not relevant for consideration.

Legal information

Manufacturer contact details

EGO Dichtstoffwerke GmbH & Co. Betriebs KG
Kaltenbrunn 27
82467 Garmisch-Partenkirchen DE

<http://www.ego.de/>

Note on use

This certificate is the evaluation and classification of products in terms of the DGNB, QNG, BNB, LEED and BREEAM certification systems. Certification bodies such as USGBC, DGNB or BREEAM do not certify products. Therefore, the project team or the manufacturer is responsible for demonstrating compliance with the certification criteria.

The data sheet is not a certification document. The information is based on the manufacturer's specifications. Despite careful processing of all information, BMS cannot guarantee the completeness, reliability and accuracy of this information. The requirements of the certification systems can be interpreted differently and depend on the project and area of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the certification criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner advising on this product is obliged to check the product for the intended application on his own responsibility. If a new version of this product review is created, the previous version loses its validity.