

## according to Regulation (EC) No 1907/2006

## **EGOSILICON 100**

Revision date: 05.04.2023

Product code: 310

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

EGOSILICON 100

## Product group:

silicone

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Silicone Sealant

## 1.3. Details of the supplier of the safety data sheet

Company name:	EGO Dichtstoffwerke GmbH & Co. Beti	riebs KG		
Street:	Kaltenbrunn 27	Kaltenbrunn 27		
Place:	D-82467 Garmisch-Partenkirchen			
Telephone: e-mail:	+49 (0)8821 956 90 info@ego.de	Telefax:+49 (0)8821 956 990		
Contact person: e-mail: Internet:	Laboratory EGO-Labor@ego.de www.ego.de	Telephone: +49 (0)8821 956 960		
<u>1.4. Emergency telephone</u> number:	+49 55119240 (24h/7d) GIZ-Nord, Göttingen Member of EPECs network			

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

EUH210

Regulation (EC) No 1272/2008

#### Special labelling of certain mixtures

Safety data sheet available on request.

### Additional advice on labelling

The classification corresponds to the current EC listing, but is enhanced by specialised literature data and the Company's own information.

### 2.3. Other hazards

During polymerization the product releases small quantities of acetic acid.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

Polydimethylsiloxane + curing agents + fillers + auxiliary agents

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
17689-77-9	Ethyltriacetoxysilan			< 5 %
	241-677-4		01-2119881778-15	
	Acute Tox. 4, Skin Corr. 1B; H302 H314			

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## EGOSILICON 100

Revision date: 05.04.2023

Product code: 310

Page 2 of 8

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
17689-77-9	241-677-4	Ethyltriacetoxysilan	< 5 %
	oral: LD50 = 380 mg/kg		

#### **Further Information**

The light color settings of this product contain titanium dioxide. Pay attention to proper use. See further information in sections 6.1 and 7.1.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

### **General information**

During polymerization the product releases small quantities of acetic acid. Do not inhale highly-concentrated release products for a longer period of time during polymerization, danger of irritation. Ensure adequate ventilation, especially in confined areas.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours.

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### After contact with skin

Remove immediately adhering matter. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

If skin irritation persists, call a physician.

## After contact with eyes

After contact with eye rinse immediately with lot of water at least 5 minutes with open eyelid. Subsequently consult an opthalmologist.

#### After ingestion

Rinse mouth. Let water be swallowed in little sips (dilution effect).

If swallowed, seek medical advice immediately and show container, label or MSDS.

### 4.2. Most important symptoms and effects, both acute and delayed

This information is not available.

### 4.3. Indication of any immediate medical attention and special treatment needed

This information is not available. Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Water spray, Dry powder, Foam, Sand, Carbon dioxide (CO2).

#### Unsuitable extinguishing media

High volume water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

Combustion may provoke smoke emission. Hazardous decomposition products formed under fire conditions. Decomposition products: acetic acid

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

#### **SECTION 6: Accidental release measures**



according to Regulation (EC) No 1907/2006

## **EGOSILICON 100**

Revision date: 05.04.2023

Product code: 310

Page 3 of 8

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ensure adequate ventilation. Do not breath vapour. Avoid contact with skin and eyes. Contaminated surfaces will be extremely slippery.

If the dried product is removed mechanically, then respirable titanium dioxide particles can be atomized. A fine dust mask FFP3 (EN 149) must therefore be worn to protect the respiratory tract.

#### For non-emergency personnel

Remove from all sources of ignition. Provide adequate ventilation. Wear personal protection equipment.

### For emergency responders

Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Cover the sewers.

#### For cleaning up

Use mechanical handling equipment.

#### Other information

Dispose of in accordance with local regulations.

To clean the floor and all object contaminated by this material, use Solvent . Cleaning with white-spirit possible.

#### 6.4. Reference to other sections

See also section 8, 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

A fine dust mask FFP 3 (EN 149) must be worn when removing dried product residues.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

#### Further information on handling

When using, do not eat, drink or smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep containers tightly closed in a dry, cool and well-ventilated place.

## Hints on joint storage

Exempt

### Further information on storage conditions

Protect from moisture.

## 7.3. Specific end use(s)

Silicone Sealant

## **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

## **EGOSILICON 100**

Revision date: 05.04.2023

Product code: 310

Page 4 of 8

## 8.1. Control parameters

## Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses

#### Hand protection

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. butyl-rubber: Glove thickness >0,3mm; Breakthrough time >480 minutes. Nitrile rubber: Glove thickness >0,1mm; Breakthrough time 60 -120 minutes.

The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

#### Skin protection

## Protective clothing.

## **Respiratory protection**

Ensure adequate ventilation, especially in confined areas. Maintain air concentrations below occupational exposure standards.

In case of insufficient ventilation wear suitable respiratory equipment. ABEK-filter

#### **Thermal hazards**

Do not heat the product. Under fire conditions: Flame-resistant clothing Low temperature resistant gloves: not required

#### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	paste	
Colour:	various	
Odour:	vinegar-like	
Odour threshold:	not determined	
Melting point/freezing point:		not applicable
Boiling point or initial boiling point and		not applicable
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not applicable
Auto-ignition temperature:		> 400 °C
Water solubility:		insoluble
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		approx. 1,03 g/cm³
Particle characteristics:		not applicable
2. Other information		



according to Regulation (EC) No 1907/2006

# EGOSILICON 100

Revision date: 05.04.2023

Product code: 310

Page 5 of 8

## Information with regard to physical hazard classes

Explosive properties not Explosive.

#### Other safety characteristics

Solvent content: Viscosity / dynamic:

# 0 % not determined

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2. Chemical stability

Stable under recommended storage conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

moisture.

## 10.5. Incompatible materials

Reacts with water, Bases, Alcohols.

## 10.6. Hazardous decomposition products

No decomposition if used as directed. During polymerization the product releases small quantities of acetic acid.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

No data is available on the product itself. Health injuries are not known or expected under normal use. Concentration above the OEL may cause irritation of eyes and mucous membranes.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
17689-77-9	Ethyltriacetoxysilan					
	oral	LD50 38 mg/kg	80		OECD Test Guideline 401	

### Irritation and corrosivity

During polymerization the product releases small quantities of acetic acid.

Vapour during processing may be irritating to the respiratory tract and to the eyes.

## Sensitising effects

Hitherto no symtoms known.

## Carcinogenic/mutagenic/toxic effects for reproduction

No data is available on the product itself.

#### STOT-single exposure

No data is available on the product itself.

#### STOT-repeated exposure

No data is available on the product itself.

## Aspiration hazard

Due to the viscosity, this product does not present an aspiration hazard.

## Information on likely routes of exposure



according to Regulation (EC) No 1907/2006

## EGOSILICON 100

Revision date: 05.04.2023

Product code: 310

Page 6 of 8

## Specific effects in experiment on an animal

No data is available on the product itself.

#### Practical experience

Health injuries are not known or expected under normal use.

## 11.2. Information on other hazards

#### **Further information**

The cured material is odorless and indifferent.

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

No data is available on the product itself.

Do not empty into drains or the aquatic environment.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
17689-77-9	Ethyltriacetoxysilan						
	Acute fish toxicity	LC50	251 mg/l		Danio rerio (zebra fish)		
	Acute algae toxicity	ErC50	73 mg/l		Pseudokirchneriella subcapitata (green algae)		
	Acute crustacea toxicity	EC50	62 mg/l		Daphnia magna (Water flea)		

#### 12.2. Persistence and degradability

silicone bio-degradable.

## 12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

#### 12.4. Mobility in soil

The product is insoluble and sinks in water.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. not applicable

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable local, state, and federal regulations.

#### Contaminated packaging

Empty remaining contents. Dispose of in accordance with local regulations.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	Not dangerous goods in sense of this transport i
14.2. UN proper shipping name:	Not dangerous goods in sense of this transport

regulation. regulation.



## according to Regulation (EC) No 1907/2006

	EGOSILICON 100	
Revision date: 05.04.2023	Product code: 310	Page 7 of 8
14.3. Transport hazard class(es):	Not dangerous goods in sense of this transport regulation.	
14.4. Packing group:	Not dangerous goods in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	Not dangerous goods in sense of this transport regulation.	
14.2. UN proper shipping name:	Not dangerous goods in sense of this transport regulation.	
14.3. Transport hazard class(es):	Not dangerous goods in sense of this transport regulation.	
Marine pollutant:	no	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u>	Not dangerous goods in sense of this transport regulation.	
14.2. UN proper shipping name:	Not dangerous goods in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u>	Not dangerous goods in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Not dangerous goods in sense of this	s transport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
Not dangerous goods in sense of this	s transport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for su	ostances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
This data sheet contains changes fro	m the previous version in section(s): 1,6,7,8,9,11,16.	
Abbreviations and acronyms		
CLP: Classification, labelling and Pa	ckaging	
REACH: Registration, Evaluation and		
GHS: Globally Harmonised System of	of Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
CAS: Chemical Abstracts Service		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concent	ation	
ATE: Acute toxicity estimate		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50% EC50: Effective Concentration 50%		
ErC50: Effective Concentration 50%	growth rate	
NOEC: No Observed Effect Concent	•	
BCF: Bio-concentration factor		
PBT: persistent, bioaccumulative, to	kic .	
vPvB: very persistent, very bioaccum		
	ort des marchandises dangereuses par Route	
	e International Carriage of Dangerous Goods by Road)	



according to Regulation (EC) No 1907/2006

## **EGOSILICON 100**

Revision date: 05.04.2023

Product code: 310

Page 8 of 8

RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
IMDG: International Maritime Code for Dangerous Goods
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Convention for the Prevention of Marine Pollution from Ships
IBC: Internediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
EUH210	Safety data sheet available on request.

### **Further Information**

This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us.

Moreover, national legislation has to be obeyed!

These data describe only the safety requirements for the product(s) and are based on our present knowledge. However, they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)