



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 2 of 8

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
17689-77-9	241-677-4	Ethyltriacetoxysilan	< 5 %
		oral: LD50 = 380 mg/kg	

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

During polymerization the product releases small quantities of acetic acid. Do not inhale highly-concentrated release products for a longer period of time during polymerization, danger of irritation. Ensure adequate ventilation, especially in confined areas.

**After inhalation**

Move to fresh air in case of accidental inhalation of vapours.  
In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**After contact with skin**

Remove immediately adhering matter. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If skin irritation persists, call a physician.

**After contact with eyes**

After contact with eye rinse immediately with lot of water at least 5 minutes with open eyelid. Subsequently consult an ophthalmologist.

**After ingestion**

Rinse mouth. Let water be swallowed in little sips (dilution effect).  
If swallowed, seek medical advice immediately and show this container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

This information is not available.

**4.3. Indication of any immediate medical attention and special treatment needed**

This information is not available.  
Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray, Dry powder, Foam, Sand, Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

High volume water jet.

**5.2. Special hazards arising from the substance or mixture**

In case of fire and/or explosion do not breathe fumes.  
Combustion may provoke smoke emission. Hazardous decomposition products formed under fire conditions.  
Decomposition products: acetic acid

**5.3. Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Ensure adequate ventilation. Do not breath vapour. Avoid contact with skin and eyes.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 3 of 8

Contaminated surfaces will be extremely slippery.

**For non-emergency personnel**

Remove from all sources of ignition. Provide adequate ventilation. Wear personal protection equipment.

**For emergency responders**

Wear personal protection equipment.

**6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover the sewers.

**For cleaning up**

Use mechanical handling equipment.

**Other information**

Use mechanical handling equipment. Dispose of in accordance with local regulations.

To clean the floor and all object contaminated by this material, use Solvent . Cleaning with white-spirit possible.

**6.4. Reference to other sections**

See also section 8, 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Advice on general occupational hygiene**

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.

**Further information on handling**

When using, do not eat, drink or smoke.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep containers tightly closed in a dry, cool and well-ventilated place.

**Hints on joint storage**

Exempt

**Further information on storage conditions**

Protect from moisture.

**7.3. Specific end use(s)**

Silicone Sealant

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 4 of 8

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Safety glasses

**Hand protection**

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

butyl-rubber: Glove thickness &gt;0,3mm; Breakthrough time &gt;480 minutes.

Nitrile rubber: Glove thickness &gt;0,1mm; Breakthrough time 60 -120 minutes.

The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The exact break through time can be obtained from the protective glove producer and this has to be observed.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Skin protection**

Protective clothing.

**Respiratory protection**

Ensure adequate ventilation, especially in confined areas. Maintain air concentrations below occupational exposure standards.

In case of insufficient ventilation wear suitable respiratory equipment. ABEK-filter

**Thermal hazards**

Do not heat the product.

Under fire conditions: Flame-resistant clothing

Low temperature resistant gloves: not required

**Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	paste	
Colour:	various	
Odour:	vinegar-like	
Melting point/freezing point:		not applicable
Boiling point or initial boiling point and boiling range:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not applicable
Auto-ignition temperature:		> 400 °C
Water solubility:		insoluble
Density:		approx. 1,04 g/cm <sup>3</sup>
Particle characteristics:		not applicable

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4. Conditions to avoid**

moisture.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 5 of 8

**10.5. Incompatible materials**

Reacts with water, Bases, Alcohols.

**10.6. Hazardous decomposition products**

No decomposition if used as directed. During polymerization the product releases small quantities of acetic acid.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

No data is available on the product itself. Health injuries are not known or expected under normal use. Concentration above the OEL may cause irritation of eyes and mucous membranes.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
17689-77-9	Ethyltriacetoxysilan				
	oral	LD50 380 mg/kg	rat	OECD Test Guideline 401	

**Irritation and corrosivity**

During polymerization the product releases small quantities of acetic acid. Vapour during processing may be irritating to the respiratory tract and to the eyes.

**Sensitising effects**

Hitherto no symptoms known.

**Carcinogenic/mutagenic/toxic effects for reproduction**

No data is available on the product itself.

**STOT-single exposure**

No data is available on the product itself.

**STOT-repeated exposure**

No data is available on the product itself.

**Aspiration hazard**

Due to the viscosity, this product does not present an aspiration hazard.

**Information on likely routes of exposure**

Skin contact

**Specific effects in experiment on an animal**

No data is available on the product itself.

**Practical experience**

Health injuries are not known or expected under normal use.

**11.2. Information on other hazards****Further information**

The cured material is odorless and indifferent.

**SECTION 12: Ecological information****12.1. Toxicity**

No data is available on the product itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 6 of 8

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
17689-77-9	Ethyltriacetoxysilan					
	Acute fish toxicity	LC50	251 mg/l	96 h	Danio rerio (zebra fish)	
	Acute algae toxicity	ErC50	73 mg/l	72 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50	62 mg/l	48 h	Daphnia magna (Water flea)	

**12.2. Persistence and degradability**

silicone bio-degradable.

**12.3. Bioaccumulative potential**

Bioaccumulation is unlikely.

**12.4. Mobility in soil**

No data is available on the product itself.  
The product is insoluble and sinks in water.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
not applicable

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

None known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of as special waste in compliance with local and national regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

**Contaminated packaging**

Empty remaining contents. Dispose of in accordance with local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

Marine pollutant:

no

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 7 of 8

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.**14.4. Packing group:** No dangerous good in sense of this transport regulation.**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 6,7,8,9,11,16.

**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**EGOSILICON 110**

Revision date: 02.05.2023

Product code: 311

Page 8 of 8

IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
EUH210	Safety data sheet available on request.

**Further Information**

This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us.

Moreover, national legislation has to be obeyed!

These data describe only the safety requirements for the product(s) and are based on our present knowledge. However, they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*