

according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EGO SMP 822

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesive

1.3. Details of the supplier of the safety data sheet

Company name:	EGO Dichtstoffwerke GmbH & Co. Betri	ebs KG
Street:	Kaltenbrunn 27	
Place:	D-82467 Garmisch-Partenkirchen	
Telephone:	+49 (0)8821 956 90	Telefax:+49 (0)8821 956 990
E-mail:	info@ego.de	T (0)000 (050 000
Contact person:	Laboratory	Telephone: +49 (0)8821 956 960
E-mail:	EGO-Labor@ego.de	
Internet:	www.ego.de	
1.4. Emergency telephone	+49 55119240 (24h/7d)	
number:	GIZ-Nord, Göttingen	
	Member of EPECs network	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

EUH208

EUH210

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

Contains Vinyltrimethoxysilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

Safety data sheet available on request.

Additional advice on labelling

The classification corresponds to the current EC listing, but is enhanced by specialised literature data and the Company's own information.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

preparation from MS polymer, fillers and auxiliary agents Mixture of substances listed below with nonhazardous additions.



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 2 of 9

Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
2768-02-7	Vinyltrimethoxysilane			< 1 %	
	220-449-8		01-2119513215-52		
	Flam. Liq. 3, Acute Tox. 4, Skin Sens. 1B; H226 H332 H317				
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine			< 1 %	
	217-164-6				
	Eye Dam. 1, Skin Sens. 1, STOT S	ye Dam. 1, Skin Sens. 1, STOT SE 3; H318 H317 H335			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
2768-02-7	220-449-8	Vinyltrimethoxysilane	< 1 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists)		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated clothing.

In case of accident or if you feel unwell, seek medical advice immediately (show the packaging, label or safety data sheet if possible).

After inhalation

Move to fresh air. If symptoms persist, call a physician.

After contact with skin

In general the product is not irritant to skin.

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleanser and water. If skin irritation persists, call a physician.

After contact with eyes

After contact with eye rinse immediately with lot of water at least 5 minutes with open eyelid. Subsequently consult an opthalmologist. If easy to do, remove contact lens, if worn.

After ingestion

Rinse mouth thoroughly with water. In case of accident or if you feel unwell, seek medical advice immediately (show the packaging, label or safety data sheet if possible). Possible decomposition products in case of hydrolysis are: Methanol

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Possible decomposition products in case of hydrolysis are: Methanol

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO2). Atomized water.

Unsuitable extinguishing media

High power water jet.



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 3 of 9

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2), Carbon monoxide.

5.3. Advice for firefighters

Protective clothing. In case of fire: Wear self-contained breathing apparatus. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear suitable protective clothing. Avoid contact with the skin and the eyes. Ensure adequate ventilation.

For non-emergency personnel

Remove from all sources of ignition. Provide adequate ventilation. Wear personal protection equipment.

For emergency responders

Wear personal protection equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

For containment

Cover the sewers.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect mechanically. Dispose of in accordance with local regulations.

Other information

Ensure adequate ventilation.

6.4. Reference to other sections

See also section 7, 8, 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink or smoke. Wash hands when done working with material; at breaks, lunch, shift changes, etc. Provide adequate ventilation. Avoid contact with skin, eye and clothing.

Advice on protection against fire and explosion

No special precautions required.

Advice on general occupational hygiene

When using, do not eat, drink or smoke. Wash hands when done working with material; at breaks, lunch, shift changes, etc.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Not required

Further information on storage conditions

Keep containers dry and tightly closed to avoid moisture absorption and contamination.

7.3. Specific end use(s)



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 4 of 9

Adhesive

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

The product does not conatain any relevant quantities with workplace related limits to be monitored.

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses

Hand protection

Avoid contact with skin.

Protective gloves complying with EN 374. Suitable material: butyl-rubber, Nitrile rubber, Chloroprene Wearing time 480 minutes

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection

Protective suit

Respiratory protection

No personal respiratory protective equipment normally required. Provide adequate ventilation. Do not breath vapour.

Thermal hazards

Do not heat the product. Under fire conditions: Flame-resistant clothing Low temperature resistant gloves: not required

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste	
Colour:	various	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point an	ld	not determined
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		insoluble
Density:		1,5 g/cm³
Particle characteristics:		not applicable
9.2. Other information		
Information with remark to physics	I have also as a	

Information with regard to physical hazard classes

Explosive properties not Explosive.



not applicable

according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 5 of 9

Other safety characteristics

Viscosity / dynamic:

Further Information

The product is: not auto-flammable

SECTION 10: Stability and reactivity

10.1. Reactivity

polymerisation initiators: moisture.

10.2. Chemical stability

The product is chemically stable. No decomposition if used as directed.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Health injuries are not known or expected under normal use.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2768-02-7	Vinyltrimethoxysilane	_			_	
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

No skin irritation.

No eye irritation.

Sensitising effects

May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

None known.

STOT-single exposure None known.

STOT-repeated exposure

None known.

Aspiration hazard

None known.



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 6 of 9

Information on likely routes of exposure

Skin contact

Practical experience

None known.

SECTION 12: Ecological information

12.1. Toxicity

Do not allow uncontrolled leakage of product into the environment. This product has no known eco-toxicological effects.

12.2. Persistence and degradability

This information is not available.

12.3. Bioaccumulative potential

This information is not available.

12.4. Mobility in soil

This information is not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable local, state, and federal regulations.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - used product

080404

Contaminated packaging

Dispose of waste according to applicable local, state, and federal regulations.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine pollutant:	no



according to Regulation (EC) No 1907/2006

EGO SMP 822				
Revision date: 26.06.2024	Product code: 387000000	Page 7 of 9		
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
No dangerous good in sense of this t	ansport regulation.			
14.7. Maritime transport in bulk according	to IMO instruments			
No dangerous good in sense of this t	ansport regulation.			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				
Chemical safety assessments for sub	stances in this mixture were not carried out.			
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 2,7,8,9,10,11.



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 8 of 9

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Eye Dam: Eye damage Skin Sens: Skin sensitisation STOT SE: Specific target organ toxicity - single exposure CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNFL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern Relevant H and EUH statements (number and full text) H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

EUH208 Contains Vinyltrimethoxysilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

These data describe only the safety requirements for the product(s) and are based on our present knowledge. However, they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



according to Regulation (EC) No 1907/2006

EGO SMP 822

Revision date: 26.06.2024

Product code: 387000000

Page 9 of 9

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)